

INDEX TO VOLUME XVII

New names and the final members of new combinations are in **bold face type**

- Abies concolor*, 203; *grandis*, 69, 75, 77
Abutilon, 133; *periplocifolium*, 11; *Theophrasti*, 246
Acalypha bisetosa, 144
Acer, 99; *Negundo*, 240, 243, 245; *rubrum*, 110; *spicatum*, 106
Acnistus arborescens, 141
Actaea, 79
Adenocaulon, 227; *bicolor*, 228
Aecidiella Triumphetae, 12
Aecidium Alibertiae, 261; *Allenii*, 80, 82; *brasiliense*, 262; *circumscriptum*, 10; *Cissi*, 10; *Cordia*, 262; *Ipomoeae-panduranae*, 3; *rionegrense*, 262
Agaricus alneus, 16; *Antillarum*, 16; *discretus*, 15; *hirtus*, 15; *pediades*, 16; *peregrinus*, 15; *rhodoxanthus*, 117; *solidipes*, 14; *striatus*, 15
Agoseris, 150
Agropyron, 79; *caninum*, 203; *dasytachyum*, 78, 81, 83, 85; *repens*, 78, 83; *Richardsonii*, 78, 81, 83, 85; *Smithii*, 78, 81, 83; *spicatum*, 78, 81-83, 85; *tenerum*, 78, 80-83, 85
Albizzia Lebbeck, 9
Albugo Bliti, 2; *Ipomoeae-panduranae*, 2; *Tragopogonis*, 3
Aleurodiscus amorphus, 71; *croceus*, 71; ***helveolus***, 71; ***succineus***, 71
Alibertia, 261
Allium Cepa, 242; *Diehlii*, 204
Alnus, 99; *tenuifolia*, 68, 69, 70
Alopecurus aristulatus, 79, 81, 82, 83; *pratensis*, 79
Alphitomorpha communis, 3
Amanita, 44, 128
Amaranthus tristis, 2
Amauroderma, 72, 73; *flaviporum*, 14
Ambrosia trifida, 42
Amelanchier, 206; *alnifolia*, 84, 86; *florida*, 206, 207; *Jonesiana*, 207; *polycarpa*, 202, 207; *prunifolia*, 206; *utahensis*, 207
Amianthium, 152
Amygdalus, 98, 99
Andersen, Emma N., *Leva B. Walker* and, Relation of glycogen to spore-ejection, 154
Andira inermis, 8; *jamaicensis*, 8
Anemone, 79; *cylindrica*, 78, 85; *globosa*, 78, 85
Anthacanthus spinosus, 13
Anthostomella, 185, 186, 187; *disco-phora*, 187; *mirabilis*, 188, 189
Appendiculella, 143; ***arecibensis***, 144, 147; ***Calophylli***, 144; *calostroma*, 142; ***compositarum***, 144, 147; ***tuberculata***, 144
Aquilegia canadensis, 241; *flavescens*, 206, 207
Arbutus Menziesii, 71
Arenaria glabrescens, 208
Argomyces insulanus, 12
Armillaria mellea, 128
Artemisia aromatica, 203; *tridentata*, 203
Arundinaria, 188
Ascogenous stage, *Coryneum Ruborum* Oud. and its, S. M. Zeller, 33
Ascophanus, 158; *carneus*, 158
Ascospora, 35, 36, 38, 39, 40; *Beijerinckii*, 37, 39, 41; ***Ruborum***, 39-41
Aspergillus, 221
Aster, 227, 230-232, 234; *conspicuus*, 231, 233-235; *laevis*, 234; *laevis* Geyeri, 233, 234; *lateriflorus*, 42; *Porteri*, 234
Asterina, 146; *Coccolobae*, 3; *Colubrinae*, 3; *coriacea*, 133; *diplocarpa*, 132, 134; *dubiosa*, 145; ***Kernii***, 133, 147; *Sida*, 132; *sidicola*, 132; *solanicola*, 133, 134; *triloba*, 134
Asteromella astericola, 42
Astrocystis, The genus, William W. Diehl, 185
Astrocystis mirabilis, 185, 187-190
Atriplex confertifolia, 208; *rosea*, 204
Auerswaldia Arengae, 187
Aulographum Cestri, 137
Aulospermum longipes, 204
Avena, 94; *fatua*, 80, 82, 85, 181; *nuda*, 163, 164, 166, 168, 176, 180; *nuda inermis*, 163, 180; *orientalis*, 181; *sativa*, 80-83, 85, 163, 165, 180, 181; *sativa nigra*, 165; *sativa montana*, 165; *sterilis*, 181
Avicennia nitida, 139

- Baccharis, 98
 Bambusa, 259; vulgaris, 189
 Barlaea discoidea, 47; verrucosa, 223
Barssia, 253; **oregonensis**, 254
 Beckmannia erucaeformis, 80-83
 Belonidium leucorrhodinum, 48
 Betula nigra, 42
 Bisby, G. R., Zonation in cultures of
 Fusarium discolor sulphureum, 89
 Bistorta bistortoides, 208
 Blechnum Blechnum, 11
 Boletinus, 117
 Boletus fasciatus, 15; hydroides, 16;
 nigromarginatus, 14; sanguineus,
 16; subtomentosus, 117
 Borreria parviflora, 12
 Botanizing in Virginia, W. A. Merrill,
 44
 Botryodiplodia Gossypii, 192
 Botryosphaeria and Physalospora in
 the eastern United States, C. L.
 Shear, Neil E. Stevens and Mar-
 guerite S. Wilcox, 98
 Botryosphaeria fuliginosa, 191-193,
 196, 197, 200, 201; Ribis, 98-107,
 194-201; Ribis chromogena, 100,
 103, 105, 197
 Boudiera, 223
 Brassica Pe-tsai, 160
 Bresadola, G., New species of fungi,
 68
 Bromus ciliatus, 78-83, 85; latiglum-
 is, 79, 81-83, 85; Porteri, 81-83,
 85; Pumpellianus, 78-83
 Brown canker of roses, Anna E.
 Jenkins, 87
 Brunellia comocladifolia, 133, 147

 Cabbage, Club-root of Chinese, W. H.
 Davis, 160
 Caecoma confluens, 202
 Cajan Cajan, 13, 257
 Calamagrostis canadensis, 80-83, 85;
 elongata, 80-83; inexpansa, 80, 81,
 83, 85
 Callistephus hortensis, 242
 Calophyllum antillanum, 144; Calaba,
 144
 Camelina microcarpa, 204
 Campanularius solidipes, 14
 Canella Winterana, 137
 Canker of roses, Brown, Anna E.
 Jenkins, 87
 Canna, 259
 Capsella Bursa-pastoris, 204
 Cardiospermum, 258; microcarpum,
 11
 Carex, 150, 205, 206, 245; eburnea, 42;
 festivella, 205; filifolia, 82, 83;
 illinoensis, 127; tribuloides, 42
 Cascara sagrada, 254
 Casearia sylvestris, 137

 Catabrosa aquatica, 204
 Cecropia, 50
 Celastrus scandens, 105
 Cenchrus 6, 11; carolinianus, 42;
 echinatus, 259
 Cephalothecium, 90, 96; roseum, 91, 94
 Cercis, 99
 Cercospora **Abutilonis**, 246; althaeina,
 246; **Arborescentis**, 246; crassoides,
 42; **Decodontis**, 246; **menthicola**,
 247; Molluginis, 42; Nepetae, 247;
 Paeoniae, 247; **Rhapontici**, 248;
 Rhei, 248; variicolor, 248; **Zae-
 maydis**, 248
 Ceriomyces Betula, 183
 Cerrenella Ravenelii, 128
 Cestrum, 133, 137; laurifolium, 134;
 macrophyllum, 134
 Chaetomella horrida, 242; **Tritici**, 242
 Chaetosphaeria calostroma, 142
 Chamaesyce, 258
 Chanterel, 183; cinnabarinus, 184
 Cheese, The mold associated with the
 ripening of blue veined, N. S.
 Golding, 19
 Chenopodium pratericola, 204
 Chinese cabbage, Club-root of, W. H.
 Davis, 160
 Choeromyces **ellipso sporus**, 252
 Chroserma muscaetoxicum, The life
 cycle of the rust on fly poison, C. R.
 Orton and Freeman Weiss, 148
 Chromosporium pachyderma, 9
 Chroserma, 148-152; muscaetoxi-
 cum, 148, 149, 153
 Chrysanthamnus marianus 205; pu-
 berulus, 205
 Ciboria **caespitosa**, 48
 Cicinnobolus, 9
 Cicuta occidentalis, 207
 Cissampelos Pareira, 6
 Cissus, 14; sicyoides, 10, 256
 Citrus, 99, 199, 241
 Cladosporium caducum, 42
 Clibadium, 256
 Clidemia hirta, 142, 145
 Clitocybe illudens, 129
 Club-root of Chinese cabbage, W. H.
 Davis, 160
 Clypeolum scutelliforme, 139, 147
 Coccolobis laurifolia, 136; Uvifera, 3
 Cocos nucifera, 8
 Coffea arabica, 137
 Coleosporium, 225; Adenocaulonis,
 227; arnicale, 228; Asterum, 233;
 Elephantopodis, 10; Ipomoeae, 10,
 245; Madae, 227-229; occiden-
 talis, 227, 234, 235; ribicola, 206,
 227; Senecionis, 225, 226; Solid-
 aginis, 226, 227, 231-234, 235;
 Sonchi, 10; Sonchi-arvensis, 227,
 236; Tussilaginis, 226

- Coleosporium in the Northwestern United States, The genus, James Robert Weir, 225
- Collecting around St. Augustine, Florida, W. A. Murrill, 127
- Colletotrichum atramentarium, 215, 217; **maculans**, 214, 215; **minutum**, 216; **orthosporum**, 216; **Smilacinae**, 245; **solanicum**, 215; **tabificum**, 217; **Violarum**, 42
- Colletotrichum v. Vermicularia, B. T. Dickson, 213
- Coltricia cinnamomea, 184
- Colubrina reclinata, 3
- Comandra pallida, 206
- Commelina elegans, 13
- Coniothyrium **Negundinis**, 243; **oliveum** var. **Aceris**, 243
- Convolvulus nodiflorus, 13
- Cookeina, 46; **tetraspora**, 45
- Coprinus, 157; **plicatilis**, 15; **stercorarius**, 90
- Cordia callococca, 7; **cylandrostachya**, 262; **nitida**, 141
- Coreopsis, 183
- Corioloropsis fulvocinerea, 14; **occidentalis**, 14; **rigida**, 14
- Coriolus, 128; **nigromarginatus**, 14; **pinsitus**, 14
- Cornus florida, 244; **stolonifera**, 241
- Corticium **apiculatum**, 68; **areolatum**, 68; **botryosum**, 69; **confluens**, 69; **consimile**, 68; **decepiens**, 68; **furfuraceum**, 69; **laevis**, 68; **lepidum**, 70; **ochraceum**, 70; **scutellare**, 68; **subapiculatum**, 69
- Cortinarius, 113, 116, 128
- Coryneum, 37, 41; **Beijerinckii**, 35, 39; **Ruborum**, 33-35, 38-40
- Coryneum Ruborum Oud. and its ascogenous stage, S. M. Zeller, 33
- Crataegus, 99; **chrysocarpa**, 84; **rivularis**, 207
- Creonectria ochroleuca, 5
- Crepis glauca, 209
- Crescentia cucurbitina, 9
- Cronartium, 207; **occidentale**, 207; **pyriforme**, 206
- Crossospora **Stevensii**, 255
- Crotalaria retusa, 3, 9
- Croton, 5; **discolor**, 134
- Cryptostictis **Paeoniae**, 243; **Violae**, 244
- Cucumis Anguria, 3
- Cudoniopsis**, 210, 211; **pusilla**, 210
- Culture experiments with heteroecious rusts in 1922, 1923 and 1924, W. P. Fraser, 78
- Cultures of Fusarium discolor sulphureum, Zonation in, G. R. Bisby, 89
- Cyathus ambiguus, 17; **Poeppegii**, 17; **vernicosus**, 17
- Cyperus diffusus, 258
- Cyrtopodium, 262
- Cytospora chrysosperma, 218
- Daedalea amanitoides, 15
- Daldinia concentrica, 6; **Eschscholzii**, 6
- Daniels, Eva, L. R. Tehon and, Notes on the parasitic fungi of Illinois—II, 240
- Daphnopsis caribaea, 140
- Darluka Filum, 9
- Dasyscypha calycina, 49; **flavidula**, 49
- Dasyscypha foveolata, 260; **gregaria**, 260
- Davis, W. H., Club-root of Chinese cabbage, 160
- Decodon verticillatus, 247
- Deschampsia caespitosa, 80-83
- Diaporthe umbrina, 88
- Diatrype, 111
- Dicaeoma hieraciatum, 152
- Dickson, B. T., Colletotrichum v. Vermicularia, 213
- Dictyophora Ravenelii, 109, 112
- Diehl, William W., The genus Astrocytis, 185
- Dimeromyces, 87
- Dimorphomyces, 87
- Diorchidium leve, 12
- Dioscorea, 262
- Diospyros, 99; **virginiana**, 105
- Diplocystis Wrightii, 17
- Diplodia gossypina, 191, 192, 197-201; **natalensis**, 199, 200
- Diplodia gossypina, The life history and relationships of, Neil E. Stevens, 191
- Distichlis spicata, 83, 85
- Dolicholus 2, 13
- Dothidea Crotonis, 5
- Dothiorella, 99, 107, 194, 197
- Echites tomentosa, 256
- Elaeagnus, 79; **commutata**, 80, 81, 85
- Elephantopus mollis, 10
- Eleutherantha ruderalis, 259
- Elfvingiella fasciata, 15
- Elymus canadensis, 78-81, 83, 85; **curvatus**, 78, 79, 81-83; **diversiglumis**, 78, 81-83; **glaucus**, 203; **innovatus**, 78, 81-83; **Macounii**, 79, 83; **robustus**, 78; **virginicus**, 78, 79
- Emilia coccinea, 259; **sagittifolia**, 11; **sonchifolia**, 11
- Endophyllodes portoricensis, 257
- Endophyllum circumscriptum, 10; **guttatum**, 256; **pumilio**, 256
- Epilobium americanum, 205

- Erinella similis*, 49
Eriogonum biumbellatum, 205; *microthecum*, 205; *racemosum*, 205
Eriophorum angustifolium, 83, 84, 86
Eriosporangium Hyptidis, 256
Erysimum repandum, 204
Erysiphe communis, 3
Erythrina glauca, 145
Erythronium grandiflorum parviflorum, 205
Erythroxylo, 13
Eucalyptus, 98
Eudimeromyces, 87
Eugenia proba, 210; *rhombica*, 5
Eupatorium odoratum, 144
Euphorbia robusta, 209; *pilulifera*, 10; *prostrata*, 13
Eutypella Cocos, 9
Exidia glandulosa, 18
Exosporium maculans, 213, 214; *minutum*, 216
 Experiments with heteroecious rusts in 1922, 1923 and 1924, Culture, W. P. Fraser, 78
Fagus ferruginea, 75
 Faris, James A., and George M. Reed, Modes of infection of sorghums by loose kernel smut, 51
Festuca elatior, 78, 82, 83; *viridula*, 81-83
Fimetaria fimicola, 5
 Five new hypogaeous fungi, Helen M. Gilkey, 250
Flammula, 117, 128; *peregrina*, 15
 Foray, Mycological, Fred J. Seaver, 263
 Fraser, W. P., Culture experiments with heteroecious rusts in 1922, 1923 and 1924, 78
Froelichia floridana, 42
Fumago vagans, 9
 Fungi at Lynchburg, Virginia, W. A. Murrill, 183
 Fungi, New species of, G. Bresadola, 68
 Fungous flora of St. Croix, The, Fred J. Seaver, 1
Fusarium, 93; *culmorum*, 97; *discolor sulphureum*, 91, 94-97
Fusarium discolor sulphureum, Zonation in cultures of, G. R. Bisby, 89
Ganoderma Curtisii, 128; *expallens*, 72; *rubeolum*, 73; *subincrustedum*, 15
 Garrett, A. O., Smuts and rusts of Utah—V, 202
 Geaster, 128
 Geneva, 253
Geoglossum nigritum, 49; *pumilum*, 49
Geopora, 253
Gigantochloa Scribneriana, 189
 Gilkey, Helen M., Five new hypogaeous fungi, 250
Glaux maritima, 83, 85
Gloeocystidium polygonum, 69; *polygonum var. fulvescens*, 69
Gloeophyllum Berkeleyi, 128; *striatum*, 15
Gloeoporus conchoides, 128
Glonium clavisporem, 4; *simulans*, 4
 Glycogen to spore-ejection, Relation of, Leva B. Walker and Emma N. Andersen, 154
Glycosma occidentalis, 204
 Golding, N. S., The mold associated with the ripening of blue veined cheese, 19
Gomphidius alabamensis, 123; *flavipes*, 115, 118, 121, 123; *furcatus*, 114, 115, 119, 123; *glutinosus*, 113-115, 118, 121, 124; *gracilis*, 113, 118, 120, 124; *maculatus*, 113, 114, 118, 119, 121, 124; *nigricans*, 114, 116, 118, 124; *ochraceus*, 114, 118, 119, 122; *oregonensis*, 116, 118, 121, 124; *roseus*, 113, 119, 120, 124; *subroseus*, 114, 118, 120-122; *tomentosus*, 114, 118, 119, 122, 124; *vinicolor*, 114, 119, 125; *viscidus*, 113, 114-116, 118, 122, 123, 125; *viscidus* forma *columbiana*, 114, 118, 122, 125, 126
Gomphidius in the United States, The genus, C. H. Kauffman, 113
Gossypium, 98, 192; *hirsutum*, 191
Gouania, 259; *polygama*, 12
Guepinia Spathularia, 17
Guignardia pipericola, 6
Gutierrezia glomerella, 205
Gymnospogon foliosus, 259
Gymnosporangium Betheli, 207; *clavariaeforme*, 206; *corniculans*, 84; *gracilens*, 202; *inconspicuum*, 206; *juvenescens*, 84, 86, 207; *Nelsoni*, 202
Halerpestes Cymbalaria, 79
Hapalopilus gilvus, 128; *lichnoides*, 15, 128
Helotium Cecropiae, 50; *phlebo-phorum*, 50
Helvella infula, 110, 112
Helvellaceae, Un nuevo genero de las, C. Spegazzini, 210
 Heteroecious rusts in 1922, 1923 and 1924, Culture experiments with, W. P. Fraser, 78
Hiatala discreta, 15
Hicoria, 99, 197; *alba*, 76
Hieracium, 150
Hordeum jubatum, 78, 81, 82
Hormodendron, 90

- Humaria, 157; **Cookeina**, 46; leucoloma, 46; **phylogena**, 46
 Hutchinsia procumbens, 204
 Hydnocystis, 253
 Hydnotrya, 253
 Hydnotryopsis, 254
 Hydnum **beneolens**, 72; septentrionale, 72
 Hydrangea arborescens, 246
 Hydrogera crystallina, 2
 Hygrophila brasiliensis 139
 Hygrophorus, 113, 117
 Hypocrea rufa, 5, 90
 Hypomyces, 184
 Hypospila cordiana, 6
 Hypoxylon, 187, 220; annulatum, 7; effusum, 7; fusco-purpureum, 7; fuscum, 7; jecorinum, 7; pruina-
 tum, 218; pseudopachyloma, 7;
 rubiginosum, 7
 Hypoxylon poplar canker in Oxford
 County, Maine, Preliminary survey
 of, E. J. Schreiner, 218
 Hyptis atrorubens, 140; capitata, 140;
 lantanifolia, 140
 Hysterium rufulum, 4
 Hysterographium **Pithecellobii**, 49
 Hystrix patula, 78, 79, 81, 82, 85

 Ilex, 197
 Illinois—II, Notes on the parasitic
 fungi of, L. R. Tehon and Eva
 Daniels, 240
 Infection of sorghums by loose kernel
 smut, Modes of, James A. Faris and
 George M. Reed, 51
 Inheritance of resistance of oat
 hybrids to loose smut, The, George
 M. Reed, 163
 Inga, 257; Inga, 138; laurina, 49, 138
 Inonotus hirsutus, 128
 Ionomidotis **portoricensis**, 50
 Ionopsis utricularioides, 138
 Ipomoea coccinea, 10; glabra, 255;
 Nil, 10; Pes-caprae, 3; triloba, 11
 Irene **aibonitensis**, 140; calostroma,
 143; **cyclopoda**, 140, 147; **glabra**,
 139; **glabroides**, 142; **hyptidicola**,
 139; **irregularis**, 139; **Laguncu-**
lariae, 141; **longipoda**, 141; manca,
 143; **Melastomacearum**, 141, 145,
 147; **Perseae**, 140; **portoricensis**,
 141; Puiggarii, 143; **sepulta**, 139;
 triloba, 142
 Iresine elatior, 12

 Jatropha gossypifolia, 13
 Jenkins, Anna E., Brown canker of
 roses, 87
 Juglans, 98
 Juncus, 109

 Juniperus monosperma, 74; scopu-
 lorum, 202, 207; siberica, 206

 Kauffman, C. H., The genus Gomphi-
 dius in the United States, 113
 Koeleria cristata, 42, 82; gracilis, 81
 Kuehneola, 256

 Lachnea, 157; coprinaria, 47; scutel-
 lata, 4
 Lactaria lactaria, 128; lactiflua, 183;
 piperata, 183
 Lactuca canadensis, 150, 152; virosa,
 152
 Laguncularia, 98; racemosa, 141
 Lamprospora, 222, 224; areolata var.
 australis, 223; discoidea, 47; **sal-**
monicolor, 47; tuberculata, 223;
 Wrightii, 47
 Larix occidentalis, 68, 69
 Lasiacis sorghoidea, 258
 Lasiobolus, 157
 Lathyrus utahensis, 205
 Lentinus **dentatus**, 77; hirtus, 15;
 lepidus, 90; velutinus, 77; xylo-
 podius, 16
 Lenzites, 117
 Leonotis nepetaefolia, 12
 Lepargyrea, 79; argentea, 80, 82, 83;
 canadensis, 80-82, 85
 Lepidium simile, 204
 Leptothyrium **maximum**, 245
 Lichen atratus, 4
 Life cycle of the rust on fly poison,
 Chrosperma muscaetoxicum, The,
 C. R. Orton and Freeman Weiss,
 148
 Life history and relationships of
 Diplodia gossypina, The, Neil E.
 Stevens, 191
 Liquidambar, 98, 99, 197
 Liriodendron, 72, 98, 99, 107
 Lisea australis, 5
 Lister's "Mycetozoa," Miss, 265
 Lolium multiflorum, 81; perenne, 81
 Loose kernel smut, Modes of infection
 of sorghums by, James A. Faris and
 George M. Reed, 51
 Lucuma, 99
 Lupinus, 205, 208
 Lychnis alba, 53, 64
 Lycoperdon Zeae, 13
 Lycopus asper, 83, 86
 Lygodium, 255

 Macrophoma, 197; arens, 42
 Madia, 227; citriodora, 229; exigua,
 229; glomerata, 229; Nuttallii, 228;
 racemosa, 229; ramosa, 229; sativa,
 229

- Maine, Schreiner, E. J., Preliminary survey of Hypoxylon poplar canker in Oxford County, 218
- Magnolia, 99
- Marasmius arecarius, 15
- Maravalia albenscens, 257; **Ingae**, 257; pallida, 257
- Maytenus elongata, 138, 147
- Melampsora albertensis, 206; Bigelowii, 203; confluens, 202
- Melamporella elatina, 203; Cerastii, 203
- Melampsoropsis Pyrolae, 84, 86
- Melanops Quercuum, 192, 201, 203; Quercum forma Vitis, 192, 201
- Melanthera, 257
- Melia, 99, 107, 143
- Mellilotus alba, 39;
- Meliola, 145, 146; aibonitensis, 140; arecibensis, 144; Calophylli, 144; calostroma, 143; compositarum, 144; cyclopoda, 140; glabra, 139; glabroides, 142; hyptidicola, 139; irregularis, 139; Lagunculariae, 141; longipoda, 141; manca, 142, 143; Melastomacearum, 141; Persea, 140; Persea forma setulifera, 140; Puiggarii, 142, 143; rubicola, 143; sanguinea, 142, 143; sepulta, 139; triloba, 142; tuberculata, 144
- Mentha, 83; canadensis, 247
- Merulius, 108; **armeniacus**, 72; aureus, 72; **interruptus**, 72; rufus, 72; rugulosus, 112; Spathularia, 17
- Metastelma Schlechtendalii, 11, 12
- Miconia laevigata, 142; prasina, 142
- Microcera coccophila, 127
- Micropeltella, 135
- Micropeltis albo-marginata, 135, 139, 147; longispora, 136
- Mikania, 257; cordifolia, 144
- Milesina **Lygodii**, 255
- Modes of infection of sorghums by loose kernel smut, James A. Faris and George M. Reed, 51
- Mold associated with the ripening of blue veined cheese, The, N. S. Golding, 19
- Mollugo verticillata, 42
- Monochaetia Paeoniae, 244
- Morchella crassipes, 221
- Morenoella **Whetzelii**, 134, 147
- Morus alba, 105, 106
- Mucor, 90
- Muhlenbergia racemosa, 82
- Murrill, W. A., Botanizing in Virginia, 44; Collecting around St. Augustine, Florida, 127; Fungi at Lynchburg, Virginia, 183
- Mycological foray, Fred J. Seaver, 263
- Mycological notes for 1924, O. L. Overholts, 108
- Mycosphaerella, 111; **cornicola**, 240; rubina, 37; **smilacicola**, 111
- Mykosyrinx Cissi, 14
- Myriangium Curtisii, 127; Montagnei, 127; tuberculans, 127
- Myrica cerifera, 143, 144
- Nabulus, 149, 151; albus, 150, 152; integrifolius, 152; serpentarius, 150, 152; trifoliolatus, 148-150, 153
- Naucoria pediades, 16
- Nectandra patens, 142
- Nectria episphaeria, 5; vulgaris, 5
- Nepeta cataria, 247
- New or noteworthy Porto Rican pyrenomycetes, Rafael A. Toro, 131
- New species of fungi, G. Bresadola, 68
- Nidularia vernicosa, 17
- Notes for 1923, Mycological, L. O. Overholts, 108
- Notes on the parasitic fungi of Illinois—II, L. R. Tehon and Eva Daniels, 240
- Noteworthy Porto Rican pyrenomycetes, New or, Rafael A. Toro, 131
- Nuevo genero de las Helvellaceas, Un, C. Spegazzini, 210
- Nummularia dura, 7; repanda, 8; tinctor, 8
- Nycteromyces, 87
- Octospora leucoloma, 46
- Odontia **eriozona**, 71; farinacea, 72; **furfurella**, 71; stenodon, 71
- Oidium Cyparissiae, 10; erysiphoides, 10; lactis, 90
- Oliganthes condensatus, 259
- Orbilia, 48
- Orton, C. R., and Freeman Weiss, The life cycle of the rust on fly poison, Chrosperma muscaetoxicum, 148
- Ostrya virginica, 105
- Overholts, L. O., Mycological notes for 1923, 108
- Oxford County, Maine, Schreiner, E. J., Preliminary survey of Hypoxylon poplar canker in, 218
- Pachyphloeus, 253, 254
- Paeonia, 248; arborea, 244; officinalis, 244, 247
- Panicum adspersum, 11; barbinode, 13, 258
- Panus xylopodius, 16
- Parasitic fungi of Illinois—II, Notes on the, L. R. Tehon and Eva Daniels, 240
- Parodiella grammodes, 3
- Paspalum conjugatum, 259; fimbriatum, 12; virgatum, 260
- Patellaria atrata, 4

- Paxillus, 116, 117, 121
 Penicillium, 38, 90, 94; glaucum, 19; roqueforti, 19, 20, 22-32
 Peniophora, 68; **albo-straminea**, 69, 70; **cremea**, 69; **gilvidula**, 70; **lepida**, 70; **rhodochroa**, 70; **Weiri**, 70
 Penstemon acuminatus, 84, 86
 Periconia atra, 10
 Peridermium Pini acicola, 225; acicolum, 233; californicum, 229, 230, 233; elatinum, 203; montanum, 230, 233; oblongisporium, 225; Weirii, 235
 Peronoplasmodium cubensis, 3
 Peronospora cubensis, 3
 Persea Persea, 140
 Persicaria Hartwrightii, 208; psychrophila, 208
 Peziza adnata, 47; badia, 157; coprinaria, 47; dochmia, 48; leucorhodium, 48; omphalodes, 4, 48; scutellata, 4; vesiculosa, 157, 158; Wrightii, 47
 Phacidium minutissimum, 240; **Ne-gundinis**, 240
 Phaeosaccardinula **Seaveriana**, 145
 Phaeoseptoria **Caricis**, 245
 Phalaris arundinacea, 81, 82
 Phellomyces sclerotiphorus, 215
 Phiala **Cecropiae**, 50; **microspora**, 50
 Phillipsia, 48; **Chardoniana**, 48
 Phlebia radiata, 108
 Phleum pratense, 203
 Phlox canescens, 203
 Pholiota Johnsoniana, 184
 Phoma, 241; lathyrina, 9
 Phomopsis **Callistephi**, 242
 Phragmidium Montivagum, 203; occidentale, 206
 Phycomyces, 94, 95; nitens, 89
 Phyllachora biareolata, 5; Crotonis, 5; graminis, 6; **Rickseckeri**, 6; sphaerosperma, 6; Whetzelii, 5
 Phylloporus rhodoxanthus, 117
 Phyllosticta **Allii**, 241; **Ambrosiae**, 42; **Aquilegiae**, 241; hesperidearum, 241; **Pithecolobii**, 9; **pteleicola**, 241
 Physalis peruviana, 217
 Physalospora, 6, 193; Andirae, 8; Cydoniae, 197; gossypina, 195, 198, 200, 201; malorum, 98-107, 191-201
 Physalospora in the eastern United States, Botryosphaeria and, C. L. Shear, Neil E. Stevens and Marguerite S. Wilcox, 98
 Picea canadensis, 84, 86; Engelmanni, 75; sitchensis, 75
 Pilea parietaria, 142
 Pilobolus, 89-91, 93, 94, 96, 157; crystallinus, 2
 Pinus, 69; Banksiana, 237; contorta, 75, 76, 226, 228, 230, 231, 233-235, 237; edulis, 237; Jeffreyi, 228, 229; monticola, 69, 70; pinea, 237; ponderosa, 70, 228, 237; ponderosa var. scopulorum, 230; radiata, 229, 232, 233; rigida, 232, 233; silvestris, 225, 236, 237; virginiana, 71
 Piper aduncum, 139; Amalago, 6; Sieberi, 6
 Pithecellobium glomeratum, 257; latifolium, 257; Unguis-cati, 9, 50
 Plantago eriopoda, 83, 85
 Plasmodiophora Brassicae, 160-162
 Platanus, 99
 Plowrightia ribesia, 37
 Pluteus cervinus, 184
 Poa compressa, 78; pratensis, 78; triflora, 82
 Pogonomyces hydnonides, 16, 128
 Poinciana, 99
 Polyandromyces, 87
 Polygonum bistortoides, 208
 Polypodium incanum, 128
 Polyporus Alabamae, 16; capucinus, 74; Colossus, 16; fomentarius, 15; hirsutus, 14; **leucoxanthus**, 73; lichnoides, 15; melleo-fulvus, 75; occidentalis, 14; pinsitus, 14; resinus, 18; squamosus, 90; **sub-capucinus**, 74
 Polystictus elongatus, 73; **pallidulus**, 73; **prolificans**, 73
 Poplar canker in Oxford County, Maine, Preliminary survey of Hypoxylon, E. J. Schreiner, 218
 Populus tacamahacca, 220; tremula, 73; tremuloides, 206, 218-220; trichocarpa, 69, 76
 Poria Alabamae, 16; bombycina, 76; corticola, 76; **crustulina**, 75; **di-chroa**, 75; **fagicola**, 75; **fulvella**, 76; hibernica, 75; levis, 75; luteo-alba, 75; mucida, 76; **proxima**, 76; radula, 77; **similis**, 76; subacida, 77; **vicina**, 76; **zonata**, 77
 Poronia Oedipus, 8
 Porto Rican cup-fungi. Studies in tropical ascomycetes—III, Fred J. Seaver, 45
 Porto Rican pyrenomycetes, New or noteworthy, Rafael A. Toro, 131
 Potomorphe peltata, 145
 Preliminary survey of Hypoxylon poplar canker in Oxford County, Maine, E. J. Schreiner, 218
 Priva lappulacea, 9
 Prospodium appendiculatum, 10
 Prunus, 99; domestica, 105; virginiana, 105
 Psalliotia campestris, 90
 Pseudephantopus spicatus, 140

- Pseudobalsamia*, 253
Pseudomeliola collapsa, 145
Pseudotsuga taxifolia, 75
Psilocybe Antillarum, 16
Ptelea trifoliata, 241
Puccinellia, 79
Puccinia, 79, 149, 152; *Absinthii*, 203; *Andropogonis*, 84, 86; *angustata*, 83, 84, 86; *antioquiensis*, 258; *Antirrhini*, 42; *appendiculata*, 10; *Archavaletae*, 11, 258; *atropuncta*, 148, 149, 151, 152; *Blechi*, 11; *canaliculata*, 258; *Cannae*, 259; *Caricis-shepherdiae*, 42, 82; *Cenchri*, 11, 259; *Cicutae*, 207; *Clematidis*, 78, 79, 85, 207; *Convolvuli*, 13; *coronata*, 79, 80, 82, 83, 85; *crassipes*, 11; *Crepidia-Montanae*, 209; *Douglasii*, 203; *Eleutherantherae*, 259; *Emiliae*, 11, 259; *epiphylla*, 204; *Eriophori*, 83, 84; *Gouaniae*, 259; *Graminis*, 203; *Grindeliae*, 206; *Grossulariae*, 206; *Gutierreziae*, 206; *Gymnopogonis*, 259; *heterospora*, 11; *hieraciata*, 150-152; *Huberi*, 11; *ignava*, 259; *impedita*, 11; *inflata*, 11; *insueta*, 11; *insulana*, 12; *invinaginata*, 12; *Ipomoeae-panduranae*, 11; *Jonesii*, 204; *Leonotidis*, 12; *levis*, 12; *macropoda*, 12; *Melanthii*, 148; *Menthae*, 11; *Mesneriana*, 151; *mutabilis*, 204; *obliqua*, 12; *obliterata*, 206, 207; *Opizii*, 150; *opulenta*, 11; *Osmorrhizae*, 204; *Pimpinellae*, 204; *Poarum*, 204; *Polygoni-Amphibii*, 208; *Polygoni-vivipari*, 208; *Rhamni*, 151; *Seaveriana*, 259; *Sherardiana*, 204; *Spermacoces*, 12; *subnitens*, 83, 85, 204; *Synedrellae*, 9, 12; *tuberculans*, 205; *tubulosa*, 259; *Urbaniana*, 12, 260; *universalis*, 205; *variolans*, 207; *Vernoniae*, 12; *Violae*, 205; *Zygadeni*, 148, 151
Pucciniastrum pustulatum, 205
Puccinosira pallidula, 12
Pycnoporus sanguineus, 16, 128
Pyrenium lignorum, 10
Pyrenomyces, New or noteworthy Porto Rican, Rafael A. Toro, 131
Pyrola asarifolia, 84, 86
Pyronema omphalodes, 4, 48
Pyrus Malus, 99, 101
Pyropolyporus Calkinsii, 128; *Robiniae*, 183
Quamoclit coccinea, 11
Quercus, 99, 107, 197; *bicolor*, 42
Ramularia, 246; *tenuis*, 42
Ranunculus acris, 79; *recurvatus*, 42; *septentrionalis*, 42
Reed, George M., The inheritance of resistance of oat hybrids to loose smut, 163
Reed, George M., and James A. Faris, Modes of infection of sorghums by loose kernel smut, 51
Relation of glycogen to spore-ejection, Leva B. Walker and Emma N. Andersen, 154
Relationships of *Diplodia gossypina*, The life history and, Neil E. Stevens, 191
Resistance of oat hybrids to loose smut, The inheritance of, George M. Reed, 163
Rhamnus, 79, 151; *alnifolia*, 80, 82, 85; *cathartica*, 80, 82, 85
Rheum officinale, 248; *Rhaponticum*, 248
Ribes, 99, 101, 227; *aureum*, 202, 207; *cereum*, 206, 237; *inebrians*, 206, 237; *inermis*, 237; *leptanthum*, 237; *longiflorum*, 237
Ricinus, 99
Ripening of blue veined cheese, The mold associated with the, N. S. Golding, 19
Robinia pseudacacia, 73
Rosa, 99; *neomexicana*, 203; *pyrifera*, 203
Rosellinia, 185, 186; *aquila*, 8; *Bambusae*, 187, 189; *Bresadolae*, 8; *geasteroides*, 187, 188; *metachroa*, 8; *St. Cruciana*, 8; *subiculata*, 8
Roses, Brown canker of, Anna E. Jenkins, 87
Rostkovites granulatus, 44
Rubus, 35, 39, 99, 143
Rubus allegheniensis, 42; *occidentalis*, 33, 42; *parviflorus*, 206; *strigosus*, 33, 40
Rumex pauciflorus, 208
Russula, 128; *compacta*, 183; *foetens*, 183; *Mariae*, 183; *nigricans*, 184; *virescens*, 183
Rust, The snapdragon, Fred J. Seaver, 42
Rusts of British Guiana and Trinidad, H. Sydow, 255
Rusts of Utah—V. Smuts and, A. O. Garrett, 202
Sabina horizontalis, 84, 86
Saccharum officinarum, 10
Salix, 70, 99, 107; *lasiandra*, 71; *Scouleriana*, 202; *subcoerulea*, 203
St. Croix, The fungous flora of, Fred J. Seaver, 1
Salvia occidentalis, 11
Sambucus, 99; *canadensis*, 105

- Saponaria, 183
 Sarcoscypha coccinea, 157
 Sassafras, 99
 Sauvagesia erecta, 142
 Schizachyria scoparium, 84, 86
 Schizophyllum alneum, 16
 Schizostachyum, 189
 Schoenocaulon dubium, 148
 Schreiner, E. J., Preliminary survey of Hypoxylon poplar canker in Oxford County, Maine, 218
 Scleria melaleuca, 258
 Scleroderma, 128
 Sclerotinia fructigena, 90, 96
 Scolecopeltis, 135; aeruginea, 146; **Cestri**, 137; **Chardonii**, 128; **Ingae**, 138, 147; **Ionopsidis**, 137; **longispora**, 136; **micropeltiformis**, 137, 147; **pachyasca**, 136; **portoricensis**, 137; **transiens**, 147
 Scolecopeltopsis, 135
 Scolochloa festuacea, 80-83
 Seaver, Fred J., Discomycetes of Australia, 222; Mycological foray, 263; Studies in tropical ascomycetes—III. Porto Rican cup-fungi, 45; The fungous flora of St. Croix, 1; The snapdragon rust, 42
 Secale montanum, 52, 64
 Securidaca volubilis, 134
 Senecio, 227; aureus, 84; canus, 83; hydrophiloides, 236; triangularis, 234, 235
 Septogloeum querceum, 42; subnudum, 42
 Septoria canadensis, 245; cenchrina, 42; cornicola, 244; Corni-maritima, 245; **Floridae**, 244
 Shear, C. L., Neil E. Stevens and Marguerite S. Wilcox, Botryosphaeria and Physalospora in the eastern United States, 98
 Sida carpinifolia, 133; supina glabra, 11
 Smilacina racemosa, 246
 Smilax, 111; herbacea, 42; rotundifolia, 111
 Smuts and rusts of Utah—V, A. O. Garrett, 202
 Snapdragon rust, The, Fred J. Seaver, 42
 Solanum, 134; tuberosum, 216
 Solidago, 227, 230; canadensis, 232, 233; latifolia, 42; missouriensis, 234; oreophila, 234; rugosa, 233
 Sonchus, 227; arvensis, 236; asper, 236, 237; oleraceus, 236
 Sophia intermedia, 204
 Sorghum, 66; saccharatum, 66
 Sorosporium Reilianum, 51
 Species of fungi, New, G. Bresadola, 68
 Spegazzini, C., Un nuevo genero de las Helvellaceas, 210
 Spermaceae, 12
 Sphaelotheca cruenta, 51, 53, 54-60, 64-67; **Sorgii**, 51, 56-58, 66
 Sphaeralcea coccinea, 204
 Sphaerella smilacicola, 111
 Sphaeria annulata, 7; aquila, 8; calostroma, 142, 143; concentrica, 6; Dematium minor, 216; episphaeria, 5; Eschscholzii, 6; Filum, 9; fimi-cola, 5; fusca, 7; fusco-purpurea, 7; graminis, 6; grammodes, 3; ochroleuca, 5; Quercuum, 193, 200; repanda, 8; rubiginosa, 7; rufa, 5; smilacicola, 111; subiculata, 8; tinctor, 8
 Sphaerobolus, 154, 157-159; stellatus, 155
 Sphaeromeria diversifolia, 203
 Sphaeronema acerinum, 112
 Sphaeropsis, 99, 107, 196; acerina, 243; grandinea, 243; malorum, 100, 102, 105, 106, 192, 201; **Negundinis**, 242; simillima, 243
 Sphaerosoma alveolatum, 223; echinulatum, 223
 Sphenopholis obtusata, 82
 Spirogramma Boergesenii, 8
 Spondylocadium atrovirens, 217
 Spore-ejection, Relation of glycogen to, Leva B. Walker and Emma N. Andersen, 154
 Sporobolus cryptandrus, 81; indicus, 262
 Stachytarpheta, 260
 Stagonospora albescens, 42
 Stenanthium gramineum, 152
 Stephensia, 253, 254
 Stereum, 128; papyrinum, 16
 Stevens, Neil E., The life history and relationships of Diplodia gossypina, 191
 Stevens, Neil E., and Marguerite S. Wilcox, C. L. Shear, Botryosphaeria and Physalospora in the eastern United States, 98
 Stichospora Madae, 228
 Stigmatophyllum periplocifolium, 11
 Stipa viridula, 81
 Strobilomyces strobilaceus, 184
 Studies in tropical ascomycetes—III. Porto Rican cup fungi, Fred J. Seaver, 45
 Survey of Hypoxylon poplar canker in Oxford County, Maine, Preliminary, E. J. Schreiner, 218
 Sydow, H., Rusts of British Guiana and Trinidad, 255
 Synchronium cinnamomeum, 42; decipiens, 2; nigrescens, 42
 Synedrella nodiflora, 12

- Tecoma radicans*, 184; Stans, 10
 Tehon, L. R., and Eva Daniels,
 Notes on the parasitic fungi of
 Illinois—II, 240
Tetradymia Nuttallii, 207
Thalictrum, 79
Thuja plicata, 69
Tilletia foetens, 202; *laevis*, 51;
Tritici, 51
Tomophagus Colossus, 2, 16
 Toro, Rafael A., New or noteworthy
 Porto Rican pyrenomycetes, 131
Torresia odorata, 81–83
Trabutiella, 7; *Cordia*, 6
Trametes, 75; ***cerina***, 74; *elegans*, 15;
lignea, 17; *micans*, 74; *ochroflava*,
 74; *rigida*, 14; *robinophila*, 183;
rubricosa, 74; *scleromyces*, 74;
subcervina, 74
Tremella glandulosa, 18
Trenomyces, 87
Trichoderma lignorum, 10
Tricholoma rutilans, 128
Trichothyrium collapsum, 145; *dubio-*
sum, 145, 147
Trifolium pratense, 208
Trisetum, 80
Triticum aestivum, 78; *vulgare*, 202
Triumfetta, 13
 Tropical ascomycetes—III, Studies
 in, Porto Rican cup fungi, Fred J.
 Seaver, 45
Tryblidium rufulum, 3
Tsuga heterophylla, 75
Tuber bisporum, 251; *Gardnerii*, 251;
gibbosum, 250, 251; ***giganteum***,
 250; *irradians*, 252; ***longisporum***,
 251
Tuberculina argillacea, 42
Tyromyces semipileatus, 184

Ulmus, 109; *americana*, 106
Uredo Artocarpi, 262; *Bliti*, 2; *Cissi*,
 14; *Commelinaceae*, 13; *Cyrtop-*
odii, 262; *Dioscoreae*, 262; *Ele-*
phantopodis, 10; *Erythroxylonis*,
 13; *Gouaniae*, 12; *ignobilis*, 262;
Ipomoeae, 10; *jatrophiicola*, 13;
Jonesii, 237; *Leonotidis*, 12; *pas-*
palicola, 259; *ribicola*, 237; *Scho-*
enocauli, 148
Urocystis occulta, 51, 52, 64; *Tritici*, 51
Uromyces, 152; *albescens*, 257; *Alope-*
curi, 79; *Anthacanthi*, 13; *colum-*
bianus, 257; *Commelinae*, 13;
Dolicholi, 13, 257; *Eriogoni*, 205;
Euphorbiae, 13; *Fabae*, 205; *fal-*
lens, 208; *gemmatus*, 13; *hetero-*
dermus, 205; *intricatus*, 205; *lepto-*
dermus, 13, 258; *occidentalis*, 205,
 209; *proeminens*, 258; *Rickerianus*,
 208; *Scleriae*, 258; *Shearianus*, 208;
Sidae, 11; *Silenes*, 208; *substriatus*,
 208; *Wulfiae-stenoglossae*, 258;
Zygadeni, 151
Ustilago Avenae, 51–53, 66, 163, 164,
 166, 167, 170, 172–175, 180; *Hordei*,
 51, 52; *levis*, 51, 52, 163, 164; *nuda*,
 52; *Tritici*, 52; *violacea*, 53, 64;
Zeae, 13, 52
 Utah—V, Smuts and rusts of, A. O.
 Garrett, 202
Vaginata parviovata, 183; *vaginata*,
 184
Valerianodes, 12; *cayennensis*, 142
Valsa chlorina, 9
Varronia corymbosa, 141
Venenarius Frostianus, 184; *phal-*
loides, 128, 183, 184; *solitarius*, 183,
 184
Venturia inaequalis, 37
Veratrum parviflorum, 148; *viride*,
 152; *Woodii*, 148
Vermicularia atramentaria, 213, 215;
Dematium, 213–216; *maculans*,
 213–215; *minuta*, 213, 216; *ortho-*
spora, 213, 216; *varians*, 217
Vermicularia, *Colletotrichum* v., B.
 T. Dickson, 213
Vernonia albicaulis, 12
Verticillium alboatrum, 94
Viburnum, 99
Viola, 244; *adunca*, 205; *scabriuscula*,
 42
Virginia, *Botanizing* in, W. A.
 Murrill, 44
Virginia, *Fungi* at Lynchburg, W. A.
 Murrill, 183
Vitis, 99, 197
Volutella circinans, 214

 Walker, Leva B., and Emma N.
 Andersen, Relation of glycogen to
 spore-ejection, 154
Wedelia buphthalmoides, 9
 Weir, James Robert, The genus
Coleosporium, 225
 Weiss, Freeman, C. R. Orton and,
 The life cycle of the rust on fly
 poison, *Chrosperma muscaetoxi-*
cum, 148
 Wilcox, Marguerite S., C. L. Shear,
 Neil E. Stevens and, *Botryos-*
sphaeria and *Physalospora* in the
 eastern United States, 98
Wulfia baccata, 258

Xylaria apiculata, 9; *appendiculata*,
 9; *lignosa*, 9

Zea Mays, 13, 248
 Zeller, S. M., *Coryneum Ruborum*
 Oud. and its ascogenous stage, 33
Zygadenus, 151; *elegans*, 148
 Zonation in cultures of *Fusarium dis-*
color sulphureum, G. R. Bisby, 89

